

TABLE 3.1 NORTHEAST REGION FISH BYCATCH BY FISHERY Fishery bycatch ratio = bycatch / (bycatch + landings). All estimates are live weights.

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Mid-Atlantic Extra-Large-Mesh Gillnet						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	136.48	POUND	0.71	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	9.10	POUND	0.71	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	11,332.63	POUND	0.37	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	18.20	POUND	0.72	
Goosefish	<i>Lophius americanus</i>	2010	145,971.69	POUND	0.29	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinqueedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	3.03	POUND	0.72	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	30.33	POUND	0.72	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	57.98	POUND	1.94	l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	836,072.91	POUND	0.28	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	71,442.00	POUND	0.25	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	7,926.78	POUND	0.21	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Windowpane	<i>Scophthalmus aquosus</i>	2010	51.74	POUND	3.45	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			1,073,052.87	POUND		
TOTAL FISHERY LANDINGS			6,201,200.59	POUND		
TOTAL CATCH (Bycatch + Landings)			7,274,253.46	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.15			
Mid-Atlantic General Category Closed Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	72.75	POUND	1.06	
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	231.50	POUND	1.99	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	61,417.36	POUND	0.32	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	115.75	POUND	1.99	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	14.55	POUND	1.01	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	343,549.14	POUND	0.45	l

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Silver hake	<i>Merluccius bilinearis</i>	2010	428.87	POUND	0.58	m
Skate Complex	Rajidae	2010	411,939.11	POUND	0.54	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	15,249.25	POUND	0.83	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	66,930.97	POUND	0.61	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	513.98	POUND	0.83	
Windowpane	<i>Scophthalmus aquosus</i>	2010	166.21	POUND	0.53	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	1,785.81	POUND	0.95	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	231.36	POUND	0.54	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			902,646.61	POUND		
TOTAL FISHERY LANDINGS			9,851,716.25	POUND		
TOTAL CATCH (Bycatch + Landings)			10,754,362.86	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.08			
Mid-Atlantic General Category Closed Area Scallop Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	2,754.14	POUND	0.22	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	19.01	POUND	1.01	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	32.23	POUND	1.20	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	2.89	POUND	0.44	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	2.89	POUND	0.44	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	27,174.44	POUND	0.60	l
Silver hake	<i>Merluccius bilinearis</i>	2010	93.48	POUND	1.02	m
Skate Complex	Rajidae	2010	14,614.76	POUND	0.42	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	5,630.76	POUND	0.44	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	1,078.21	POUND	0.42	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	515.07	POUND	0.41	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			51,917.88	POUND		
TOTAL FISHERY LANDINGS			1,308,404.33	POUND		
TOTAL CATCH (Bycatch + Landings)			1,360,322.21	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.04			
Mid-Atlantic General Category Open Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	63.96	POUND	0.95	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	84.01	POUND	0.86	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Goosefish	<i>Lophius americanus</i>	2010	1,815.16	POUND	0.40	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	32.54	POUND	0.73	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	18.15	POUND	1.05	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	15.19	POUND	0.68	j
Red hake	<i>Urophycis chuss</i>	2010	77.45	POUND	0.95	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	222,332.17	POUND	0.59	l
Silver hake	<i>Merluccius bilinearis</i>	2010	65.35	POUND	0.91	m
Skate Complex	Rajidae	2010	147,416.46	POUND	0.39	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	233.22	POUND	0.61	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	14,887.23	POUND	0.55	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	4,039.18	POUND	0.44	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	275.91	POUND	0.72	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	21.45	POUND	1.25	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	604.33	POUND	0.45	s
TOTAL FISHERY BYCATCH			391,981.76	POUND		
TOTAL FISHERY LANDINGS			2,443,485.70	POUND		
TOTAL CATCH (Bycatch + Landings)			2,835,467.46	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.14			
Mid-Atlantic General Category Open Area Scallop Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	2.60	POUND	1.58	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	134.48	POUND	0.67	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	266.62	POUND	0.34	
Goosefish	<i>Lophius americanus</i>	2010	2,523.28	POUND	0.45	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	9.73	POUND	0.51	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	1.30	POUND	0.49	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	372.71	POUND	0.79	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	113.46	POUND	0.51	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	389.37	POUND	0.31	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	57.45	POUND	0.65	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	31,466.75	POUND	0.29	l
Silver hake	<i>Merluccius bilinearis</i>	2010	2,823.42	POUND	0.51	m
Skate Complex	Rajidae	2010	221,377.51	POUND	0.19	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	12,997.16	POUND	0.61	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	3,201.47	POUND	0.41	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	143.22	POUND	1.51	
Windowpane	<i>Scophthalmus aquosus</i>	2010	2,499.94	POUND	0.81	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	2,593.76	POUND	0.42	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	85.28	POUND	1.02	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	6,307.14	POUND	0.30	s
TOTAL FISHERY BYCATCH			287,366.65	POUND		
TOTAL FISHERY LANDINGS			219,429.18	POUND		
TOTAL CATCH (Bycatch + Landings)			506,795.83	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.57			
Mid-Atlantic Large-Mesh Gillnet						

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	89,206.86	POUND	0.94	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	511.13	POUND	0.82	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	13,376.47	POUND	0.40	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	107,272.26	POUND	0.63	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	510.89	POUND	1.01	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	833.04	POUND	0.53	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	79.86	POUND	1.17	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			211,790.51	POUND		
TOTAL FISHERY LANDINGS			4,147,942.11	POUND		
TOTAL CATCH (Bycatch + Landings)			4,359,732.62	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.05			
Mid-Atlantic Large-Mesh Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	107.96	POUND	1.10	
Atlantic cod	<i>Gadus morhua</i>	2010	427.93	POUND	0.51	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	302.19	POUND	0.81	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	2,231.22	POUND	0.79	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	7,512.88	POUND	0.31	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	63,405.82	POUND	0.50	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	3,704.24	POUND	0.52	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	4,102.94	POUND	0.19	
Goosefish	<i>Lophius americanus</i>	2010	117,121.23	POUND	0.25	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	4,634.76	POUND	0.46	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	671.94	POUND	0.90	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	9,035.19	POUND	1.13	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	433.66	POUND	0.95	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	59.56	POUND	0.78	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinque-dens</i>	2010	44,927.49	POUND	0.74	j
Red hake	<i>Urophycis chuss</i>	2010	3,858.80	POUND	0.51	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	260,202.08	POUND	0.39	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	154,848.89	POUND	0.54	l
Silver hake	<i>Merluccius bilinearis</i>	2010	24,285.14	POUND	0.29	m
Skate Complex	Rajidae	2010	5,904,948.87	POUND	0.12	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	1,960,788.36	POUND	0.24	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	391,288.65	POUND	0.21	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	2,233.01	POUND	0.91	
Windowpane	<i>Scophthalmus aquosus</i>	2010	295,304.52	POUND	0.14	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	134,041.52	POUND	0.19	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	14,735.05	POUND	0.57	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	1,240.68	POUND	0.87	s
TOTAL FISHERY BYCATCH			9,406,454.58	POUND		
TOTAL FISHERY LANDINGS			19,045,333.77	POUND		
TOTAL CATCH (Bycatch + Landings)			28,451,788.35	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.33			
Mid-Atlantic Limited Access Closed Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	8.26	POUND	0.99	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	262.85	POUND	0.71	
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	43.23	POUND	0.85	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	1,893.36	POUND	0.58	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	11,335.97	POUND	0.29	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	49.47	POUND	1.02	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	808.39	POUND	0.80	
Goosefish	<i>Lophius americanus</i>	2010	1,478,214.08	POUND	0.13	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	1,710.29	POUND	0.22	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	354.58	POUND	0.30	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	2.47	POUND	1.02	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	2,628.93	POUND	0.49	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	145.92	POUND	0.92	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Red hake	<i>Urophycis chuss</i>	2010	13,627.33	POUND	0.35	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	415.53	POUND	0.41	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	4,950,104.33	POUND	0.22	l
Silver hake	<i>Merluccius bilinearis</i>	2010	12,576.11	POUND	0.30	m
Skate Complex	Rajidae	2010	5,970,017.61	POUND	0.11	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	193,366.68	POUND	0.17	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	730,864.00	POUND	0.13	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	1,117.10	POUND	0.42	
Windowpane	<i>Scophthalmus aquosus</i>	2010	83,317.95	POUND	0.48	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	750.49	POUND	0.78	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	21,943.13	POUND	0.27	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	231.41	POUND	0.52	s
TOTAL FISHERY BYCATCH			13,475,789.47	POUND		
TOTAL FISHERY LANDINGS			128,922,756.80	POUND		
TOTAL CATCH (Bycatch + Landings)			142,398,546.27	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.09			
Mid-Atlantic Limited Access Open Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	126.47	POUND	0.98	
Atlantic cod	<i>Gadus morhua</i>	2010	1,391.92	POUND	0.45	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	45.35	POUND	0.75	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	31.62	POUND	0.96	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	5,483.59	POUND	1.06	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	13,612.60	POUND	0.21	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	611.38	POUND	0.80	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	89.21	POUND	0.45	
Goosefish	<i>Lophius americanus</i>	2010	1,758,308.36	POUND	0.12	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	4.80	POUND	1.05	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	4,321.76	POUND	0.29	h

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	2,546.83	POUND	0.65	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	4,416.28	POUND	0.52	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	6,001.00	POUND	0.94	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	72.00	POUND	1.04	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	27,797.06	POUND	0.52	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	513.07	POUND	0.37	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	7,304,452.60	POUND	0.33	l
Silver hake	<i>Merluccius bilinearis</i>	2010	29,779.23	POUND	0.23	m
Skate Complex	Rajidae	2010	16,553,889.31	POUND	0.13	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	140,935.21	POUND	0.20	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	962,443.51	POUND	0.15	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	16,112.15	POUND	0.65	
Windowpane	<i>Scophthalmus aquosus</i>	2010	284,386.81	POUND	0.29	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	35,437.98	POUND	0.45	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	21,712.26	POUND	0.45	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	197,850.74	POUND	0.27	s
TOTAL FISHERY BYCATCH			27,372,373.10	POUND		
TOTAL FISHERY LANDINGS			204,688,402.50	POUND		
TOTAL CATCH (Bycatch + Landings)			232,060,775.60	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.12			
Mid-Atlantic Mid-Water Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	33,283.50	POUND	0.80	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	3,820.26	POUND	0.57	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	0.00	POUND		n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	239,170.01	POUND	0.30	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	0.00	POUND		p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			276,273.77	POUND		
TOTAL FISHERY LANDINGS			39,002,302.00	POUND		
TOTAL CATCH (Bycatch + Landings)			39,278,575.77	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			<0.01			
Mid-Atlantic Small-Mesh Gillnet						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	30,220.05	POUND	0.98	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	194.92	POUND	0.44	
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	958.39	POUND	0.64	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	48,292.22	POUND	0.38	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	655.47	POUND	0.96	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	82.57	POUND	1.15	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			80,403.62	POUND		
TOTAL FISHERY LANDINGS			3,821,596.63	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
TOTAL CATCH (Bycatch + Landings)			3,902,000.25	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.02			
Mid-Atlantic Small-Mesh Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	2,413.21	POUND	0.55	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	5.23	POUND	1.33	
Atlantic cod	<i>Gadus morhua</i>	2010	388.70	POUND	0.41	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	89,933.72	POUND	0.57	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	20,166.51	POUND	0.45	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	819.49	POUND	0.96	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	115,196.95	POUND	0.29	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	21,038.89	POUND	0.59	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	825,654.05	POUND	0.28	
Goosefish	<i>Lophius americanus</i>	2010	66,753.09	POUND	0.30	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	14,980.46	POUND	0.60	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	78,612.16	POUND	0.49	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	812,108.40	POUND	0.36	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	13,398.94	POUND	0.37	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	22.75	POUND	0.77	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	7,140.19	POUND	0.56	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	2,071.74	POUND	0.65	j
Red hake	<i>Urophycis chuss</i>	2010	300,621.34	POUND	0.39	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	678,641.08	POUND	0.29	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	328,744.55	POUND	0.47	l
Silver hake	<i>Merluccius bilinearis</i>	2010	770,752.38	POUND	0.32	m
Skate Complex	Rajidae	2010	2,494,689.42	POUND	0.27	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	2,030,681.36	POUND	0.25	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	243,140.79	POUND	0.31	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	1,738.96	POUND	0.36	
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	218.57	POUND	0.56	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Windowpane	<i>Scophthalmus aquosus</i>	2010	96,033.78	POUND	0.33	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	69,619.38	POUND	0.27	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	18,889.38	POUND	0.31	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	5,965.50	POUND	0.57	s
TOTAL FISHERY BYCATCH			9,110,440.97	POUND		
TOTAL FISHERY LANDINGS			65,137,587.66	POUND		
TOTAL CATCH (Bycatch + Landings)			74,248,028.63	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.12			
New England Bottom Longline						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	57.20	POUND	0.43	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	32.45	POUND	0.48	
Atlantic cod	<i>Gadus morhua</i>	2010	62,446.74	POUND	0.19	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	2,286.71	POUND	0.38	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	6,027.07	POUND	0.33	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	61.98	POUND	0.87	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	28.99	POUND	0.62	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	25,959.23	POUND	0.17	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	7,261.60	POUND	0.22	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	5.63	POUND	0.86	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	126.35	POUND	0.58	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	12,860.91	POUND	0.18	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	2,613.06	POUND	0.40	l

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Silver hake	<i>Merluccius bilinearis</i>	2010	32.41	POUND	0.59	m
Skate Complex	Rajidae	2010	620,675.59	POUND	0.16	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	393,866.68	POUND	0.54	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	3,014.91	POUND	0.29	
Windowpane	<i>Scophthalmus aquosus</i>	2010	47.91	POUND	0.80	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	192.98	POUND	0.39	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	77.34	POUND	0.52	s
TOTAL FISHERY BYCATCH			1,137,675.74	POUND		
TOTAL FISHERY LANDINGS			3,146,178.05	POUND		
TOTAL CATCH (Bycatch + Landings)			4,283,853.79	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.27			
New England Extra-Large-Mesh Gillnet						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	194.19	POUND	0.72	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	609.55	POUND	0.30	
Atlantic cod	<i>Gadus morhua</i>	2010	32,728.22	POUND	0.26	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	4,297.05	POUND	0.24	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	141.41	POUND	0.33	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	2,730.33	POUND	0.79	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	18.50	POUND	1.13	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	1,526.20	POUND	0.29	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	3.20	POUND	0.85	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	13,635.90	POUND	0.19	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	4.64	POUND	0.64	
Goosefish	<i>Lophius americanus</i>	2010	154,502.72	POUND	0.10	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	1,344.37	POUND	0.25	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	111.40	POUND	0.56	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	6,909.50	POUND	0.22	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	86.43	POUND	0.38	j
Red hake	<i>Urophycis chuss</i>	2010	139.20	POUND	0.36	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	1,306.18	POUND	0.67	l
Silver hake	<i>Merluccius bilinearis</i>	2010	454.81	POUND	0.31	m
Skate Complex	Rajidae	2010	1,712,582.10	POUND	0.13	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	220,580.69	POUND	0.14	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	35,054.47	POUND	0.21	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	1,094.37	POUND	0.61	
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	1,591.82	POUND	0.29	
Windowpane	<i>Scophthalmus aquosus</i>	2010	109.46	POUND	0.37	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	2,000.41	POUND	0.62	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	120.66	POUND	0.30	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	421.41	POUND	0.34	s
TOTAL FISHERY BYCATCH			2,194,299.19	POUND		
TOTAL FISHERY LANDINGS			18,329,755.51	POUND		
TOTAL CATCH (Bycatch + Landings)			20,524,054.70	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.11			
New England Fish Pots and Traps						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	0.00	POUND		n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	0.00	POUND		
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	0.00	POUND		p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			0.00	POUND		
TOTAL FISHERY LANDINGS			195,410.54	POUND		
TOTAL CATCH (Bycatch + Landings)			195,410.54	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.00			
New England General Category Closed Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	68.78	POUND	0.68	
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	19,285.88	POUND	0.25	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	279.73	POUND	0.41	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	155.78	POUND	0.45	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	1,986,770.83	POUND	0.22	l
Silver hake	<i>Merluccius bilinearis</i>	2010	448.90	POUND	0.52	m
Skate Complex	Rajidae	2010	117,316.83	POUND	0.13	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	311.51	POUND	0.75	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	1,407.88	POUND	0.43	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	3,753.44	POUND	0.50	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	5,419.07	POUND	0.40	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	72.40	POUND	1.00	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	3,147.06	POUND	0.24	s
TOTAL FISHERY BYCATCH			2,138,438.09	POUND		
TOTAL FISHERY LANDINGS			5,113,287.75	POUND		
TOTAL CATCH (Bycatch + Landings)			7,251,725.84	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.29			
New England General Category Open Area Scallop Dredge						

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	233.50	POUND	1.28	
Atlantic cod	<i>Gadus morhua</i>	2010	9.29	POUND	0.60	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	4,567.21	POUND	0.61	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	258.67	POUND	1.64	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	65.04	POUND	0.60	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	1,061.54	POUND	1.49	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	264,278.36	POUND	0.31	l
Silver hake	<i>Merluccius bilinearis</i>	2010	32.52	POUND	0.49	m
Skate Complex	Rajidae	2010	121,172.14	POUND	0.59	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	116.65	POUND	1.49	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	161.67	POUND	1.57	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	5,982.94	POUND	1.00	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	3,525.54	POUND	0.84	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	23.33	POUND	1.49	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	9,147.11	POUND	1.01	s
TOTAL FISHERY BYCATCH			410,635.51	POUND		
TOTAL FISHERY LANDINGS			1,958,261.62	POUND		
TOTAL CATCH (Bycatch + Landings)			2,368,897.13	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.17			
New England Hagfish Pots and Traps						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinque-dens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	0.00	POUND		n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	0.00	POUND		p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			0.00	POUND		
TOTAL FISHERY LANDINGS			1,265,517.00	POUND		
TOTAL CATCH (Bycatch + Landings)			1,265,517.00	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.00			
New England Hand Line						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	75.17	POUND	0.74	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	27,312.45	POUND	1.57	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	251.05	POUND	0.86	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	4,836.73	POUND	0.40	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	0.00	POUND		
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	3,082.79	POUND	1.31	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	0.00	POUND		n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	50,023.14	POUND	0.28	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	0.00	POUND		p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			85,581.33	POUND		
TOTAL FISHERY LANDINGS			917,871.24	POUND		
TOTAL CATCH (Bycatch + Landings)			1,003,452.57	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.09			
New England Large-Mesh Gillnet						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	6,556.32	POUND	0.26	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	5,186.20	POUND	0.13	
Atlantic cod	<i>Gadus morhua</i>	2010	321,488.59	POUND	0.22	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	2,717.34	POUND	0.17	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	2,507.03	POUND	0.45	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	2,862.96	POUND	0.18	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	2.79	POUND	1.16	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	5,604.40	POUND	0.18	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	8.79	POUND	0.61	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	3,696.65	POUND	0.19	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	49.75	POUND	0.79	
Goosefish	<i>Lophius americanus</i>	2010	8,003.01	POUND	0.13	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	4,070.54	POUND	0.16	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.93	POUND	0.83	h

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	4.67	POUND	0.77	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	272.58	POUND	0.35	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	329.92	POUND	1.06	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	97,080.46	POUND	0.11	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	233.76	POUND	0.32	j
Red hake	<i>Urophycis chuss</i>	2010	1,700.31	POUND	0.17	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	3.79	POUND	0.89	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	1,423.50	POUND	0.93	l
Silver hake	<i>Merluccius bilinearis</i>	2010	17,422.20	POUND	0.23	m
Skate Complex	Rajidae	2010	177,169.73	POUND	0.12	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	3,071,674.80	POUND	0.10	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	1,765.43	POUND	0.48	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	49,700.61	POUND	0.25	
Windowpane	<i>Scophthalmus aquosus</i>	2010	995.87	POUND	0.29	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	8,535.83	POUND	0.16	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	824.57	POUND	0.16	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	65,998.10	POUND	0.20	s
TOTAL FISHERY BYCATCH			3,857,891.43	POUND		
TOTAL FISHERY LANDINGS			13,426,295.96	POUND		
TOTAL CATCH (Bycatch + Landings)			17,284,187.39	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.22			
New England Large-Mesh Haddock Separator Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	11,288.13	POUND	0.26	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	8,522.03	POUND	0.15	
Atlantic cod	<i>Gadus morhua</i>	2010	25,711.49	POUND	0.12	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	1,521.34	POUND	0.21	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	866.49	POUND	0.26	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	281.35	POUND	0.17	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	27.88	POUND	0.12	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	541.25	POUND	0.17	d

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	8.92	POUND	0.73	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	3,405.05	POUND	0.84	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	105.08	POUND	0.37	
Goosefish	<i>Lophius americanus</i>	2010	2,911.77	POUND	0.16	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	13,516.06	POUND	0.11	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	240.93	POUND	0.18	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	1,242.53	POUND	0.18	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	4,240.87	POUND	0.36	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	13.30	POUND	0.59	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	3,210.83	POUND	0.23	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	88.65	POUND	0.20	j
Red hake	<i>Urophycis chuss</i>	2010	4,724.10	POUND	0.23	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	3,603.27	POUND	0.35	l
Silver hake	<i>Merluccius bilinearis</i>	2010	3,246.11	POUND	0.20	m
Skate Complex	Rajidae	2010	1,699,408.10	POUND	0.16	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	175,826.71	POUND	0.21	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	13,040.03	POUND	0.38	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	13.04	POUND	0.88	
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	1,268.52	POUND	0.20	
Windowpane	<i>Scophthalmus aquosus</i>	2010	12,266.72	POUND	0.14	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	6,233.92	POUND	0.51	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	1,377.54	POUND	0.20	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	21,612.87	POUND	0.19	s
TOTAL FISHERY BYCATCH			2,020,364.88	POUND		
TOTAL FISHERY LANDINGS			3,664,153.31	POUND		
TOTAL CATCH (Bycatch + Landings)			5,684,518.19	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.36			
New England Large-Mesh Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	364,410.28	POUND	0.16	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	564,797.97	POUND	0.08	
Atlantic cod	<i>Gadus morhua</i>	2010	1,049,109.59	POUND	0.13	b

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	41,758.70	POUND	0.10	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	11,388.73	POUND	0.31	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	3,192.25	POUND	0.36	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	2,521.20	POUND	0.95	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	23,537.75	POUND	0.14	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	3,870.11	POUND	0.38	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	21,934.41	POUND	1.04	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	8,366.01	POUND	0.45	
Goosefish	<i>Lophius americanus</i>	2010	853,757.69	POUND	0.09	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	72,481.14	POUND	0.14	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	6,164.71	POUND	0.39	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	25,791.71	POUND	0.17	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	98,285.13	POUND	0.14	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	39.82	POUND	1.01	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	4,935.22	POUND	0.29	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	50,035.34	POUND	0.14	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	410,231.99	POUND	0.41	j
Red hake	<i>Urophycis chuss</i>	2010	132,325.27	POUND	0.28	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	17,886.97	POUND	0.73	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	37,526.72	POUND	0.34	l
Silver hake	<i>Merluccius bilinearis</i>	2010	169,040.52	POUND	0.16	m
Skate Complex	Rajidae	2010	26,240,993.74	POUND	0.08	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	3,355,148.41	POUND	0.08	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	765,999.06	POUND	0.15	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	534.70	POUND	0.39	
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	58,423.17	POUND	0.15	
Windowpane	<i>Scophthalmus aquosus</i>	2010	491,635.57	POUND	0.14	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	134,312.25	POUND	0.15	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	217,299.28	POUND	0.08	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	538,566.59	POUND	0.22	s
TOTAL FISHERY BYCATCH			35,776,302.00	POUND		
TOTAL FISHERY LANDINGS			65,480,372.31	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
TOTAL CATCH (Bycatch + Landings)			101,256,674.31	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.35			
New England Large-Mesh Ruhle Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	113.38	POUND	0.15	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	240.61	POUND	0.18	
Atlantic cod	<i>Gadus morhua</i>	2010	1,140.96	POUND	0.09	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	39.75	POUND	0.38	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	133.05	POUND	0.16	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	170.17	POUND	0.19	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	10.35	POUND	0.19	
Goosefish	<i>Lophius americanus</i>	2010	66.08	POUND	0.17	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	2,234.90	POUND	0.10	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	180.93	POUND	0.21	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	707.36	POUND	0.16	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	157.16	POUND	0.19	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	23.32	POUND	0.21	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	8.95	POUND	0.85	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinque-dens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	208.27	POUND	0.12	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	4.95	POUND	0.19	l
Silver hake	<i>Merluccius bilinearis</i>	2010	508.90	POUND	0.11	m
Skate Complex	Rajidae	2010	76,960.54	POUND	0.09	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	4,950.14	POUND	0.16	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	24.85	POUND	0.18	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	13.20	POUND	0.10	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Windowpane	<i>Scophthalmus aquosus</i>	2010	1,762.66	POUND	0.19	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	589.11	POUND	0.20	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	27.38	POUND	0.72	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	2,074.40	POUND	0.18	s
TOTAL FISHERY BYCATCH			92,351.37	POUND		
TOTAL FISHERY LANDINGS			252,342.28	POUND		
TOTAL CATCH (Bycatch + Landings)			344,693.65	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.27			
New England Limited Access Closed Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	1,579.85	POUND	0.39	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	1,084.24	POUND	0.80	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	5.51	POUND	0.96	
Goosefish	<i>Lophius americanus</i>	2010	302,234.76	POUND	0.20	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	4,077.99	POUND	0.92	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	5.51	POUND	0.96	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	14.70	POUND	0.96	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	2,826.36	POUND	0.22	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	744.26	POUND	0.88	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	150.69	POUND	0.86	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	56,227.69	POUND	0.44	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	404.29	POUND	0.96	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	5,730,646.15	POUND	0.24	l

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Silver hake	<i>Merluccius bilinearis</i>	2010	6,970.82	POUND	0.28	m
Skate Complex	Rajidae	2010	922,139.93	POUND	0.20	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	22,182.71	POUND	0.23	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	29,408.49	POUND	0.22	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	422.67	POUND	0.50	
Windowpane	<i>Scophthalmus aquosus</i>	2010	27,496.00	POUND	0.25	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	54,089.62	POUND	0.23	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	450.23	POUND	0.82	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	26,951.51	POUND	0.25	s
TOTAL FISHERY BYCATCH			7,190,113.98	POUND		
TOTAL FISHERY LANDINGS			48,307,841.05	POUND		
TOTAL CATCH (Bycatch + Landings)			55,497,955.03	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.13			
New England Limited Access Open Area Scallop Dredge						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	904.89	POUND	0.84	
Atlantic cod	<i>Gadus morhua</i>	2010	3,778.17	POUND	0.34	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	174.10	POUND	0.90	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	0.00	POUND		
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	38.86	POUND	1.05	
Goosefish	<i>Lophius americanus</i>	2010	243,228.08	POUND	0.36	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	119.14	POUND	0.76	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	25.26	POUND	1.12	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	40.81	POUND	1.00	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	1,000.48	POUND	0.48	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	408.84	POUND	0.94	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	23,762.64	POUND	0.55	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	6,437,263.01	POUND	0.30	l
Silver hake	<i>Merluccius bilinearis</i>	2010	5,015.41	POUND	0.50	m
Skate Complex	Rajidae	2010	1,779,486.20	POUND	0.27	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	67,238.66	POUND	0.33	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	46,200.95	POUND	0.31	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	4,322.59	POUND	0.92	
Windowpane	<i>Scophthalmus aquosus</i>	2010	46,332.99	POUND	0.57	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	172,298.96	POUND	0.18	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	467.15	POUND	0.54	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	47,602.73	POUND	0.44	s
TOTAL FISHERY BYCATCH			8,879,709.92	POUND		
TOTAL FISHERY LANDINGS			58,831,172.73	POUND		
TOTAL CATCH (Bycatch + Landings)			67,710,882.65	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.13			
New England Mid-Water Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	524.52	POUND	0.70	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	1.23	POUND	0.54	
Atlantic cod	<i>Gadus morhua</i>	2010	1,940.77	POUND	0.38	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	20,471.24	POUND	0.44	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	973.17	POUND	0.47	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	5.48	POUND	0.54	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	243.11	POUND	0.36	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	56.95	POUND	0.44	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Goosefish	<i>Lophius americanus</i>	2010	115.26	POUND	0.35	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	7,253.65	POUND	0.49	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	9.58	POUND	0.75	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	179.91	POUND	0.32	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	222.54	POUND	0.67	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	1,873.16	POUND	0.36	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	12.34	POUND	0.53	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	6.85	POUND	0.54	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	568.97	POUND	0.50	m
Skate Complex	Rajidae	2010	548.41	POUND	0.28	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	208,899.61	POUND	0.30	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	9.59	POUND	0.54	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	26.04	POUND	0.54	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	7.13	POUND	0.38	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			243,949.51	POUND		
TOTAL FISHERY LANDINGS			96,598,046.00	POUND		
TOTAL CATCH (Bycatch + Landings)			96,841,995.51	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			<0.01			
New England Purse Seine						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	0.00	POUND		a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	0.00	POUND		
Atlantic cod	<i>Gadus morhua</i>	2010	0.00	POUND		b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	0.00	POUND		
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	23,104.70	POUND	0.94	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	0.00	POUND		

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	1.81	POUND	1.05	
Goosefish	<i>Lophius americanus</i>	2010	0.00	POUND		e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	0.00	POUND		g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	0.00	POUND		h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	0.00	POUND		
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquedens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	0.00	POUND		k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	0.00	POUND		
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	0.00	POUND		l
Silver hake	<i>Merluccius bilinearis</i>	2010	0.00	POUND		m
Skate Complex	Rajidae	2010	0.00	POUND		n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	2,853.99	POUND	1.05	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	0.00	POUND		
Windowpane	<i>Scophthalmus aquosus</i>	2010	0.00	POUND		p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	0.00	POUND		r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	0.00	POUND		
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	0.00	POUND		s
TOTAL FISHERY BYCATCH			25,960.50	POUND		
TOTAL FISHERY LANDINGS			18,806,380.00	POUND		
TOTAL CATCH (Bycatch + Landings)			18,832,340.50	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			<0.01			
New England Shrimp Trawl						

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	16,809.32	POUND	0.28	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	79,240.58	POUND	0.33	
Atlantic cod	<i>Gadus morhua</i>	2010	1,019.07	POUND	0.80	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	23.95	POUND	0.67	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	65,201.13	POUND	0.80	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	1,180.70	POUND	0.96	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	0.00	POUND		
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	0.00	POUND		d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	0.00	POUND		
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	0.00	POUND		
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	2,924.85	POUND	0.70	
Goosefish	<i>Lophius americanus</i>	2010	173.81	POUND	1.04	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	1,341.34	POUND	0.46	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	167.65	POUND	0.50	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	0.00	POUND		i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	0.00	POUND		
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	0.00	POUND		
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	0.00	POUND		
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	5,274.62	POUND	0.89	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinquegens</i>	2010	0.00	POUND		j
Red hake	<i>Urophycis chuss</i>	2010	15,478.61	POUND	0.42	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	119.75	POUND	0.47	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	59.95	POUND	1.25	l
Silver hake	<i>Merluccius bilinearis</i>	2010	662,483.11	POUND	0.28	m
Skate Complex	Rajidae	2010	958.70	POUND	0.82	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	3,742.23	POUND	0.71	
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	0.00	POUND		
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	0.00	POUND		
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	10,460.45	POUND	0.34	
Windowpane	<i>Scophthalmus aquosus</i>	2010	6,914.99	POUND	0.57	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	15,712.10	POUND	0.41	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	7,599.60	POUND	0.42	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	2,631.29	POUND	0.47	s
TOTAL FISHERY BYCATCH			899,517.80	POUND		
TOTAL FISHERY LANDINGS			9,654,635.00	POUND		
TOTAL CATCH (Bycatch + Landings)			10,554,152.80	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.09			
New England Small-Mesh Otter Trawl						
Acadian redfish - Gulf of Maine / Georges Bank	<i>Sebastes fasciatus</i>	2010	2,941.14	POUND	0.65	a
American plaice - Gulf of Maine / Georges Bank	<i>Hippoglossoides platessoides</i>	2010	157,902.04	POUND	0.37	
Atlantic cod	<i>Gadus morhua</i>	2010	15,629.15	POUND	0.34	b
Atlantic halibut - Northwestern Atlantic Coast	<i>Hippoglossus hippoglossus</i>	2010	205.52	POUND	0.57	
Atlantic herring - Northwestern Atlantic Coast	<i>Clupea harengus</i>	2010	254,872.38	POUND	0.34	
Atlantic mackerel - Gulf of Maine / Cape Hatteras	<i>Scomber scombrus</i>	2010	196,133.39	POUND	0.51	
Atlantic salmon - Gulf of Maine	<i>Salmo salar</i>	2010	0.00	POUND		c
Atlantic surfclam - Mid-Atlantic Coast	<i>Spisula solidissima</i>	2010	154.14	POUND	1.06	
Atlantic wolffish - Gulf of Maine / Georges Bank	<i>Anarhichas lupus</i>	2010	372.50	POUND	1.41	d
Black sea bass - Mid-Atlantic Coast	<i>Centropristis striata</i>	2010	67,160.54	POUND	0.46	
Bluefish - Atlantic Coast	<i>Pomatomus saltatrix</i>	2010	12,544.01	POUND	0.34	
Butterfish - Gulf of Maine / Cape Hatteras	<i>Peprilus triacanthus</i>	2010	919,443.51	POUND	0.26	
Goosefish	<i>Lophius americanus</i>	2010	169,479.85	POUND	0.48	e, f
Haddock	<i>Melanogrammus aeglefinus</i>	2010	89,054.55	POUND	0.68	g
Longfin inshore squid - Georges Bank / Cape Hatteras	<i>Loligo pealeii</i>	2010	94,646.39	POUND	0.36	h
Northern shortfin squid - Northwestern Atlantic Coast	<i>Illex illecebrosus</i>	2010	258,647.41	POUND	0.51	i
Ocean pout - Northwestern Atlantic Coast	<i>Zoarces americanus</i>	2010	62,492.54	POUND	0.28	
Ocean quahog - Atlantic Coast	<i>Arctica islandica</i>	2010	51.38	POUND	1.40	
Offshore hake - Northwestern Atlantic Coast	<i>Merluccius albidus</i>	2010	1,144.57	POUND	0.53	
Pollock - Gulf of Maine / Georges Bank	<i>Pollachius virens</i>	2010	475.20	POUND	0.45	
Red deepsea crab - Northwestern Atlantic	<i>Chaceon quinque-dens</i>	2010	28,936.35	POUND	0.97	j
Red hake	<i>Urophycis chuss</i>	2010	2,312,806.24	POUND	0.26	k
Scup - Atlantic Coast	<i>Stenotomus chrysops</i>	2010	1,142,364.23	POUND	0.39	
Sea scallop - Northwestern Atlantic Coast	<i>Placopecten magellanicus</i>	2010	5,225.04	POUND	0.59	l
Silver hake	<i>Merluccius bilinearis</i>	2010	2,553,294.46	POUND	0.24	m
Skate Complex	Rajidae	2010	3,237,949.17	POUND	0.22	n, o
Spiny dogfish - Atlantic Coast	<i>Squalus acanthias</i>	2010	2,076,534.24	POUND	0.25	

Table 3.1

COMMON NAME	SCIENTIFIC NAME	YEAR	BYCATCH	UNIT	CV	FOOTNOTE(S)
Summer flounder - Mid-Atlantic Coast	<i>Paralichthys dentatus</i>	2010	313,198.88	POUND	0.31	
Tilefish - Mid-Atlantic Coast	<i>Lopholatilus chamaeleonticeps</i>	2010	8,967.04	POUND	0.62	
White hake - Gulf of Maine / Georges Bank	<i>Urophycis tenuis</i>	2010	24,620.78	POUND	0.85	
Windowpane	<i>Scophthalmus aquosus</i>	2010	30,130.28	POUND	0.30	p, q
Winter flounder	<i>Pseudopleuronectes americanus</i>	2010	478,948.88	POUND	0.26	r
Witch flounder - Northwestern Atlantic Coast	<i>Glyptocephalus cynoglossus</i>	2010	66,472.42	POUND	0.62	
Yellowtail flounder	<i>Limanda ferruginea</i>	2010	147,375.06	POUND	0.26	s
TOTAL FISHERY BYCATCH			14,730,173.28	POUND		
TOTAL FISHERY LANDINGS			29,433,288.89	POUND		
TOTAL CATCH (Bycatch + Landings)			44,163,462.17	POUND		
FISHERY BYCATCH RATIO (Bycatch/Total Catch)			0.33			

FOOTNOTES:

- a In the First Edition of the National Bycatch Report (NMFS 2011) Acadian redfish was referred to as redfish.
- b Atlantic cod has two stocks: Gulf of Maine and Georges Bank.
- c Retention of Atlantic salmon is prohibited under the ESA.
- d Atlantic wolffish was added to the Northeast Multispecies FMP when Amendment 16 was implemented on May 1, 2010. Atlantic wolffish was not examined in the First Edition of the National Bycatch Report (NMFS 2011).
- e Goosefish has two stocks: Gulf of Maine / Northern Georges Bank and Southern Georges Bank / Mid-Atlantic.
- f In the First Edition of the National Bycatch Report (NMFS 2011) goosefish was referred to as monkfish.
- g Haddock has two stocks: Gulf of Maine and Georges Bank.
- h In the First Edition of the National Bycatch Report (NMFS 2011) longfin inshore squid was referred to as longfinned squid.
- i In the First Edition of the National Bycatch Report (NMFS 2011) northern shortfin squid was referred to as shortfin squid, northern.
- j In the First Edition of the National Bycatch Report (NMFS 2011) red deepsea crab was referred to as deep sea red crab.
- k Red hake has two stocks: Gulf of Maine / Northern Georges Bank and Southern Georges Bank / Middle Atlantic.
- l In the First Edition of the National Bycatch Report (NMFS 2011) sea scallop was referred to as Atlantic sea scallop.
- m Silver hake has two stocks: Gulf of Maine / Northern Georges Bank and Southern Georges Bank / Middle Atlantic.
- n Skate Complex (Scientific name: Rajidae) is comprised of seven species in addition to unidentified skates: barndoor skate (*Dipturus leavis*), clearnose skate (*Raja eglanteria*), little skate (*Leucoraja erinacea*), rosette skate (*Leucoraja garmani*), smooth skate (*Malacoraja senta*), thorny skate (*Amblyraja radiata*), and winter skate (*Leucoraja ocellata*).
- o Landings are not reported because this is a species complex (group). The U.S. National Bycatch Report does not use landings for complexes since species in the bycatch complex may be different than species in the landings complex, even though the complex name is the same.

- p Windowpane has two stocks: Gulf of Maine / Georges Bank and Southern New England / Mid-Atlantic.
- q In the First Edition of the National Bycatch Report (NMFS 2011) windowpane was referred to as windowpane flounder.
- r Winter flounder has three stocks: Gulf of Maine, Georges Bank, and Southern New England / Mid-Atlantic.
- s Yellowtail flounder has three stocks: Georges Bank, Cape Cod / Gulf of Maine, and Southern New England / Mid-Atlantic.