

# Fishery Bulletin Index

Volume 107(1–4), 2009

## List of subjects

- Abundance  
 gray snapper 36  
 -mortality relationship 109  
 Pacific ocean perch 278  
 sand seatrout 24  
 silver seatrout 24  
*Achoerodus gouldi* – see groper,  
 western blue  
 Activity rhythms 1  
 Alaska  
 Karluk Lake 488  
 Pacific ocean perch 278  
 Aleutian Islands  
 Pacific ocean perch 278  
 Allometric relationship (squid) 101  
*Alosa* spp. – see herring  
 Anadromy 165  
 Aquaculture (capture-based) 395  
 Atlantic Ocean  
 northwest 76  
 Atretic follicles 148  
 Australia 57  
 Autodiametric method 148
- Bass, striped 329, 373  
 Behavior (crab) 451  
 Bering Sea  
 eastern 221  
 northern rock sole 221  
 ichthyoplankton 175  
 Billfishes, Atlantic 329  
 Bioelectrical analysis of fish condition  
 477  
 Biomass, spawning 265  
 Bluefish 1, 76  
 Body size (estimating) 101  
 Bottom habitat  
 trawl effects 308  
 recovery 308  
 British Columbia  
 (Vancouver Island) 45  
 Broodstock  
 eastern oyster 109  
 mortality relationship 109  
 recruitment relationship 109  
 Bycatch  
 crab 451  
 school prawns 286  
 shark 298
- Cape Cod (Atlantic white-sided  
 dolphin) 384
- Carcharhinus plumbeus* – see shark,  
 sandbar  
 Caribbean snapper, mutton 501  
 Carrying capacity (eastern oyster)  
 133  
 Catch per unit of effort (CPUE)  
 (spiny lobster) 186  
 Catch rates (fish) 523  
 Cephalopod beaks 101  
*Chionoecetes* spp. 451  
*bairdi* – see crab, Tanner  
*opilio* – see crab, snow  
 Climate  
 gray snapper 36  
 rockfish 510  
 salmon 488  
 Cod, Atlantic 148, 395  
 Condition  
 cod, Atlantic 395  
 fish 207, 395  
 indices 477  
 quillback rockfish 207  
 Pacific ocean perch 278  
 Connectivity (genetic) 501  
 Conservation 45  
 Conversion factor (horseshoe crab)  
 235  
 Cottidae 175  
 Crab  
 horseshoe 235  
 snow 451  
 Tanner 451  
*Crassostrea virginica* – see oyster,  
 eastern 109  
 Cumulative prey curve 464  
*Cynoscion* spp.  
*arenarius* – see seatrout, sand  
*nothus* – see seatrout, silver
- Delaware Bay 109, 133  
 Deterrent  
 electropositive metals 298  
 shark 298  
 Development  
 Florida pompano 318  
 northern sculpin 175  
 Dichromatism (western blue groper)  
 57  
 Diet  
 Atlantic white-sided dolphin 384  
 Pacific ocean perch 278  
 squid 101
- Discards 286  
 Distribution  
 chum salmon 244  
 harbor seal 359  
 sympatric 24  
 sand seatrout 24  
 shortfin mako 76  
 silver seatrout 24  
 DNA extraction 339  
 Dolphin, Atlantic white-sided 384  
 Drum, red 405
- Early life history  
 Florida pompano 318  
 northern sculpin 175  
 Pacific ocean perch 278  
 quillback rockfish 207  
 Ecosystem  
 deep-sea coral 195  
 subtropical pelagic 523  
 El Niño 510  
 Elasmobranch 298  
 Electroreceptor 298  
 Embryogenesis (quillback rockfish)  
 207  
 Energetics (quillback rockfish) 207  
 Energy content (Pacific ocean perch)  
 278  
 Estuary  
 California halibut 343  
 gray snapper 36  
 red drum 405  
 striped bass 329, 373  
 Texas 36
- Fast Fourier transform 373  
 Fatty acid  
<sup>13</sup>C 165  
 quillback rockfish 207  
 Fecundity  
 batch 420  
 blue marlin 420  
 estimation 148  
 Feeding (Florida pompano) 318  
 Fish  
 anadromous 165  
 assemblage 89, 464  
 communities, benthic, 308  
 condition 477  
 coral reef 464  
 -habitat associations 195  
 health 477  
 warm-water 89  
 Fishery  
 closure 308  
 eastern oyster 109, 133  
 Hawaii 523  
 horseshoe crab 235  
 longline 298, 523

- management 109, 133, 235  
 sailfish 265  
 shark interactions 298  
 spiny lobster 186  
 Fishing  
   capacity  
   gear  
     bottom gillnet 308  
     otter trawl 308  
 Florida  
   mutton snapper 501  
   Oculina Bank 195  
   spiny lobster fishery 186  
 Food habits  
   Atlantic white-sided dolphin 384  
   rockfish 510  
   shortfin mako 77  
 Foraging (harbor seal) 359  
  
*Gadus morhua* – see cod, Atlantic  
 Gear  
   gillnet 308  
   otter trawl 308  
 Gene flow (mutton snapper) 510  
 Genetic associations (sea trout) 13  
 Genetic distance 45  
 Genetic diversity (chum salmon) 244  
 Georges Bank (Atlantic white-sided dolphin) 384  
 Gliding (bluefish) 1  
 Groper, western blue 57  
 Growth  
   California halibut 343  
   larval (Florida pompano) 318  
   western blue groper 57  
   sockeye salmon 488  
 Gulf of Alaska (ichthyoplankton) 175  
 Gulf of Maine 308  
   Atlantic white-sided dolphin 384  
 Gulf of Mexico 24, 36  
  
 Habitat  
   Area of Particular Concern (HAPC) 195  
   early marine (chum salmon) 433  
   quality (California halibut) 343  
 Halibut, California 343  
 Hatchery rearing (Florida pompano) 318  
 Hermaphroditism, protogynous 57  
 Herring 165  
 Hybridization (seatrout) 13  
  
*Icelinus borealis* – see sculpin, northern  
 Ichthyofauna 175  
*Illex illecebrosus* – see squid, northern shortfin  
  
 Image analysis 148  
   Florida pompano 318  
 Infauna (benthic) 308  
 Interactions (hatchery-wild) 433  
 Istiophoridae 339  
*Istiophorus platypterus* – see sailfish  
*Isurus oxyrinchus* – see mako, shortfin  
 Ivlev's electivity index 464  
  
 Karluk Lake (sockeye salmon) 488  
  
 La Niña 510  
 Labridae 57  
*Lagenorhynchus acutus* – see dolphin, Atlantic white-sided  
 Landings, estimation (horseshoe crab) 235  
 Larvae, (northern sculpin) 175  
*Lepidopsetta polyxystra* – see sole, northern rock  
*Limulus polyphemus* – see crab, horseshoe  
 Lobster, spiny 186  
*Loligo pealeii* – see squid, longfin inshore  
 Long Island Sound 89  
 Longevity (western blue groper) 57  
*Lutjanus* spp.  
   *Analis* – see snapper, mutton  
   *griseus* – see snapper, gray  
  
*Makaira nigricans* – see marlin, blue  
 Mako, shortfin 76  
 Marine mammal 359  
 Marine protected area (MPA) 195, 308  
 Marine reserve 195, 501  
 Mark-recapture (red drum) 405  
 Marlin  
   blue 339, 420  
   white 339  
 Maturity (western blue groper) 57  
 Maximum sustainable yield (MSY) (eastern oyster) 133  
 Meristics (seatrout) 13  
*Metapenaeus macleayi* – see prawn, school  
 Microsatellite  
   chum salmon 244  
   mutton snapper 501  
   sand seatrout 13  
   silver seatrout 13  
 Midtrophic species 523  
 Migration  
   bluefish 1  
   northern rock sole 221  
   red drum 405  
   seasonal 24  
  
   sand seatrout 24  
   silver seatrout 24  
   striped bass 329  
 Mitochondrial DNA (seatrout) 13  
 Modeling  
   Ecopath with Ecosim (software) 523  
   linear mixed effects 373  
 Moonfish, Atlantic 89  
*Morone saxatilis* – see bass, striped  
 Morphology  
   northern sculpin 175  
   seatrout 13  
 Mortality  
   Atlantic cod 395  
   estimates (sailfish) 265  
   school prawns 286  
   unaccounted fishing 296  
  
 Narragansett Bay 89  
 Net pens (Atlantic cod) 395  
 New England 384  
 New Jersey (Delaware Bay) 109  
 North Atlantic Oscillation 36  
 North Carolina 405  
 North Pacific 488  
 Nutrients  
   marine derived 165  
   vectors 165  
  
 Ocean perch, Pacific 278  
 Ocean regime 488  
*Oculina varicosa* – see tree coral, ivory  
*Oncorhynchus* spp.  
   *keta* – see salmon, chum  
   *nerka* – see salmon, sockeye  
   *tshawytscha* – see salmon, Chinook  
 Oocyte development (blue marlin) 420  
 Otoliths (California halibut) 343  
 Ovary structure 148  
 Oyster, eastern 109, 133  
  
 Pacific Northwest (rockfish) 510  
 Pacific Rim (chum salmon) 244  
*Panulirus argus* – see lobster, spiny  
*Paralichthys californicus* – see halibut, California  
 Partitioning Optimization with Restricted Growth Rings (PORGS) 45  
 Penaeid 296  
 Per-recruit analyses 265  
 Phase angle 477  
*Phoca vitulina richardii* – see seal, harbor  
*Pomatomus saltatrix* – see bluefish  
 Pompano, Florida 318

- Population  
   assignment 45  
   dynamics (eastern oyster) 109  
   expansion (gray snapper) 36  
   structure (chum salmon) 244  
 Prawn, school 286  
 Predation 464  
 Predator 76  
   prey 76  
   -prey, size ratio 101  
 Prey  
   Atlantic white-sided dolphin 384  
   bluefish 76  
   cephalopod 101  
   harbor seal 359  
 Production, surplus (eastern oyster) 109  
 Proximate composition  
   (quillback rockfish) 207  
 Punta Banda Estuary  
   (California halibut) 343  
  
 Ration, daily (shortfin mako) 76  
 Recruitment (eastern oyster) 109  
 Reference point  
   biological 109, 133, 265  
   eastern oyster 109, 133  
   multiple stable 109  
   sailfish 265  
 Reflex action mortality predictor  
   (RAMP) 395, 523  
 Reflex impairment (Atlantic cod) 395  
 Regime shift 109  
 Repellent (electropositive metals) 298  
 Revenue (spiny lobster fishery) 186  
 Rockfish 510  
   canary 510  
   quillback 207  
   widow 510  
   yellowtail 510  
  
 Sailfish 265, 339  
 Salmon  
   Chinook 45  
   chum 244  
   juvenile chum 433  
   sockeye 488  
 Scales (sockeye salmon) 488  
 Sciaenidae 405  
*Sciaenops ocellatus* – see drum, red  
 Sculpin, northern 175  
 Seal, harbor 359  
 Seasonality 1  
 Seatrout  
   sand 13, 24  
   silver 13, 24  
*Sebastes* spp. 510  
   *alutus* – see ocean perch, Pacific  
   *entomelas* – see rockfish, widow  
   *flavidus* – see rockfish, yellowtail  
   *maliger* – see rockfish, quillback  
   *pinniger* – see rockfish, canary  
 Selective tidal stream transport 221  
*Selene setapinnis* – see moonfish,  
   Atlantic  
 Serranidae 464  
 Sex change (western blue groper) 57  
 Shark, sandbar 298  
 Silver seatrout 13, 24  
 Site-fidelity (striped bass) 329  
 Size-at-maturity (blue marlin) 420  
 Snapper  
   gray 36  
   mutton 501  
 Sole, northern rock 221  
 Sorting, methods (school prawn) 286  
 Southeast Alaska (chum salmon) 433  
 Spawning frequency (blue marlin) 420  
 Squid  
   longfin inshore 101  
   northern shortfin 101  
 Stable isotopes 165  
 Stock  
   recruitment estimation 148  
   structure 45  
 Stomach contents (Atlantic  
   white-sided dolphin) 384  
 Straying (Chinook salmon) 45  
 Surface mucous, DNA 339  
 Survey, underwater visual 464  
  
 Survival  
   postrelease (striped bass) 373  
   potential (Atlantic cod) 395  
 Swimming  
   behavior (bluefish) 1  
   speed (bluefish) 1  
 Swordfish 339  
  
 Tag  
   archival 221  
   pop-up satellite archival tag (PSAT)  
     373  
   -recapture (striped bass) 329  
   satellite telemetry 359  
 Taiwan (sailfish) 265  
 Telemetry, satellite 359  
 Temperature increase  
   (Gulf of Mexico, Texas) 36  
*Tetrapturus albidus* – see marlin,  
   white  
 Texas 24, 36  
 Time series 36  
 Top-down predator control 523  
 Tortugas South Ecological Reserve  
   (TSER) 501  
*Trachinotus carolinus* – see pompano,  
   Florida  
 Transport  
   Gulf Stream fish 89  
   juvenile fish 89  
 Trap  
   Certificate Program 186  
   performance 186  
 Trawling (school prawns) 296  
 Tree coral, ivory 195  
  
 Virginia (tidal freshwater) 165  
  
*Xiphias gladius* – see swordfish  
 Xiphiidae 339